Decreasing Tax Fraud Using Validation through Taxpayer Pattern Matching

Introduction

One of the greatest challenges facing financial institutions and main street America is identity fraud (IDF). A recent study indicates 13.1 million Americas were victims of IDF in 2013, or one victim every two seconds, resulting in a direct economic loss of $18 billion (Teller Vision, 2014). It appears there is a major data breach monthly that exposes consumer financial information placing them at increased risk. Home Depot, Target, and Staples are major retailers all recently experiencing significant data breaches. IDF is real and the trend indicates it will only get worst.

Unfortunately, the Internal Revenue Service (IRS), one of the world's largest and most respected financial institutions, is not immune to the phenomenon. The IRS has felt the impact of IDF manifesting itself in the form of fraudulent tax returns resulting in billions of dollars in illicit returns (GAO, 2014; IRS; Rosen, 2014). In particular, the most serious problem stems from criminal use of stolen names and social security numbers to file tax returns. According to an August Government Accounting Office Report (2014), the Internal Revenue Service estimates the agency paid over $5 billion in fraudulent claims of this type in 2013, but was able to prevent close to $25 billion.

The full extent of IDF is will probably never be known because it is difficult to detect particularly since tax returns are filed on an "honor system". Meaning, the data is not available to validate returns before they are processed mainly because earning statements are not aligned with the filing process (GAO, 2014). This places the agency at a significant disadvantage and criminals continue to exploit because they are keenly aware a viable validation system does not exist. Fortunately for tax payers, the agency in introducing improved technology, such as analytics, and working with the Department of Treasury and Congress update policy and legislation that enables the agency to deal with this growing problem.

HOW DOES TAX IDENTITY FRAUD WORK?

A criminal steals a social security number, files a tax return using unvalidated wage data (W-2) in the taxpayers name before the actual taxpayer has filed their return and collects a refund from the IRS before employer wage data is available to validate the reported unvalidated taxpayer wage data.

Why is it so easy to commit Identity Tax Fraud?

There several key factors make IDF easy.

POLICIES
- Employer wage data is not available when most fraudulent tax returns are electronically filed.
- Employer wage data is sent directly to the SSA not the IRS.
- Refunds are direct deposited into bank accounts or debit cards; many fraudulent returns can be deposited to the same account or debit card.
- Social Security Numbers from the Social Security Death Index that are readily available and easily obtainable by public are used to file fraudulent returns.

- Silo Systems in multiple federal agencies lack timely Data Sharing capabilities.
- Government programs are often run by completely different groups, each with its own audit, investigations and compliance functions.

IRS needs "Real Time" Tax System: Create a cross-functional task force to explore and make specific plans to transition to a system whereby the IRS matches tax returns against third-party information reports (e.g., Employer wage data, Social Security Administration Death Index, financial institutions, other federal agencies) before paying out refunds, and makes this information available in electronic form to taxpayers for assistance in preparing their returns.

Solutions

Our solution centers on an "inferred validation" concept meaning, in the absence of actual data, such as employer wage data, to substantiate tax payer earnings and withholdings, new returns will be screened by comparing them against historical tax payer filing patterns, Social Security Administration (SSA) data and financial institution accounts information. If the new return exhibits similar patterns based on historical data, the IRS can infer that a tax return is valid. Conversely, if inconsistencies are found, the IRS can infer an invalid or fraudulent tax return that would require review and interaction with the taxpayer before processing and issuing a refund.

This solution can complement current IRS efforts through utilizing the vast resource of data not available to those who seek to exploit gaps in the tax return filing process. That data, as mentioned in the previous paragraph, will be aggregated in a meaningful and timely way to allow the agency to "connect the dots" among tax payer historical filing patterns, SSA vitals, financial accounts data and a new return similar to the use of

DNA in forensics. Metaphorically speaking, if there is no DNA match between the historical data and a new return, one could conclude with confidence the return is fraudulent.

There are two major components to implement this solution. The first is creating a tax payer profile as a validation mechanism for new returns. And, the second component is a screening process based on a predetermined, but dynamic set of rules to compare the new return and infer a processing decision based on scoring using predictive analytics.

Tax payer profile

Creating a profile for each tax payer is the first step to combating fraudulent returns. Using existing historical tax filing records and vital information from the SSA, the IRS can gather intimate insights on each tax payer that paints a more holistic understanding of individual filing patterns. Armed with this information, the agency can shift to a more fraud prevention approach by having the ability to predict the patterns tax payers should follow based on their profile. This is not a new concept, retailers and marketing firms profile customer consumption patterns to better understand how and when to target specific customers with a high level of confidence (Dahlström, & Edelman, 2013; Ting, 2013). Imagine the possibilities that could flourish by mining the massive amounts of data to build a unique profile for each filer – this would be very difficult for a criminal to replicate.

| Taxpayer Profile Model |
| Filed Tax Returns Historical | Employment Record | Social Security Admin | Contact Information | Audit File |

New return screening

The second component is an automated screening application that compares the tax payer profile with the new return to look for inconsistencies in tax payers' filing patterns. The agency will have the ability to "tune" or adjust the parameters to account for changes that typically occur during each tax year. For example, a tax payer profile may show an average gross income of $23,000 and one exemption. To account for changes, the agency may adjust the screening criterion that includes an income range of +/- 15%, and up to 3 exemptions. As a new return arrives for this tax payer, as long as the gross income falls within the 15% and the exemptions don't exceed 3, the IRS can infer a valid tax return. Consider the scenario in the chart below where there are several inconsistencies.

The solution will collect pertinent data from IRS and SSA records to build a unique profile for each tax payer. This profile will present a holistic view of the tax payer's historical filing patterns and current social security status. As the tax payer files a new return, it will be compared or screened against their personal profile to look for inconsistencies based on rules set by the agency. Based on the screening, the new return will either be validated for processing because it is consistent with past filing patterns; or, it will require the agency to further validate the return due to inconsistencies. The figure below illustrates how our solution will work.

Taxpayer Profile View

New Return

Screening Process View

An evaluation of the screening process view reveals several inconsistencies between the historical tax payer profile view and new return. There is a significant income increase; the tax payer is claiming 3 additional exemptions along with a $17,000 deduction for mortgage interests; and the address and phone number changed. Because there is a significant difference between the profile and the new return, this record would be flagged and require validation with the filer to confirm the changes before processing. Of course there is a possibility the tax payer moved to Portland for a higher paying job; got married and had two children; and purchased a home that is unaffordable based on their newly reported income.

TAXPAYER PROFILING - FRAUD DETECTION CONCEPT

- Contact Info
- Deduction History
- Income History
- Family Status
- Employer Tax ID

Create Taxpayer Profile
- Contact Info
- Retirement Status
- Contribution History

New Return Screening

Profile Based Fraud Screening

Inconsistent
Validate Before Processing

Analogous
Process Returns

1. Mine Historical Data to Build Taxpayer Profile
2. Analyze New Returns Against Profile for Inconsistencies
3. Analytics Based Tax Return Processing Decisions

How is this concept different from other efforts?

There are two key attributes of this concept that make it different from other initiatives. First, it seeks to "holistically" connect the dots between the unique and dynamic historical information about each tax payer with future returns. The agency will have a 360 view of the tax payer, and not just two or three desperate data points, to make analytic decisions within a full range of contextual situations. In our assessment, this will reduce return screening errors that may inconvenience the tax payer, or worst, lead to processing fraudulent returns. In both situations, there are no real winners.

Secondly, because the capability will be designed for functional users to dynamically set the profile matching parameters for new tax return screening, the agency will have the flexibility and agility to address emerging threats. In other words, there will be no requirement to have a team of programmers are analysis because these capabilities will be built into the system. Based on our

research of the problem, our team now has an appreciation of the dynamic nature this presents the IRS understands the need for a capability that stay one step ahead of the treat until tax policy and legislation can be more closely aligned with the operational needs of the agency.

The Streamlined Data Refinery Solution

A Streamlined Data Refinery architecture meets all of the core requirements of the use cases described above, providing for a user-driven trusted data delivery process. At its core, the design pattern accommodates an on-demand process of user-initiated data requests, blending and refining of any data, automatic analysis schema generation, and publishing of analytic data sets in the format of choice. It consists of several key components.

SCALABLE DATA PROCESSING HUB
Usually Hadoop, this store is meant to house and manage a variety of structured and unstructured data from across the organization. In the diagram, Hadoop serves as the landing zone for data across the web, social media, transactional systems, and machines/ sensors.

HIGH PERFORMANCE DATABASE
The database chosen must facilitate high performance queries for analytics and visualization. When scale is required, an analytical database such as HP Vertica is a solid choice.

PENTAHO DATA INTEGRATION
Pentaho's highly scalable data integration engine, managed through its intuitive end user interface, provides the 'glue' between the different data sources and stores in this architecture. The entire process outlined here can be triggered on-demand via PDI:

Blending & Orchestration: PDI ingests data from virtually any data source, including both traditional systems and Big Data stores – and then processes, cleanses, and blends the data in the required combinations to drive insight.

CUSTOMER EXAMPLE:
FINANCIAL REGULATORY BODY

GOAL
Empower analysts to identify suspicious patterns among billions of market transaction records per day.

PENTAHO SOLUTION
Users explore summary data with the ability to request detailed data sets on the fly for drilldown through multi-dimensional models.

ARCHITECTURE
Leverages Hadoop with Amazon Elastic MapReduce and Hive; uses Amazon RedShift as a high performance analytical database in the cloud.

STREAMLINED DATA REFINERY ARCHITECTURE DIAGRAM

Automatic Modeling & Publishing: As part of the data orchestration process, PDI automatically creates an OLAP schema and publishes it to the Pentaho Business Analytics server for end user exploration and visualization.

Governance: PDI's robust functionality enables IT to quickly and easily validate data sources being blended at the source – allowing for the right measure of control, without creating unnecessary frictions to end user data access.

Conclusions

In this discussion, we highlighted three core data delivery needs that are only being met on a limited basis in the market today:

- Orchestrate on-demand processing, blending, and modeling of user requested data sets in order to accelerate time to value in complex analytics initiatives.
- Ensure proper data governance during the delivery process, such that risk is minimized and confidence is increased in data-driven decisions.
- Provide blended and enriched data in the end user format of choice, so that business users can be more productive in deriving insight from diverse data.

The Streamlined Data Refinery's user-driven, governed process

User initiated data request

Blending and refining any data

Publish analytic data sets

Automatically generate data model

Indeed, these challenges cut across a variety of sector specific use cases discussed, including 'deep data' exploration by researchers, forensic analysis of unexpected events, compliance assurance in regulated industries, and delivery of data to key customers and partners 'as a service.'

The Streamlined Data Refinery provides a well-defined solution architecture to address these needs in a fashion that both leverages existing organizational competencies and ensures that the on-demand data delivery process can quickly adjust to changes in the data environment.

References

Dahlström, P., & Edelman, D. (2013). The coming era of "on-demand" marketing. Mckinsey Quarterly, (2), 24-39

Government Accounting Office. (2014) Identity theft: Additional actions could help IRS combat the large, evolving threat of refund fraud (GAO--14-633). Retrieved from http://www.gao.gov/products/GAO- 14-633.

Internal Revenue Service (n.d.). Internal Revenue Service strategic plan FY2014-2017. Retrieved from http://www.irs.gov/pub/irs-pdf/p3744.pdf.

Rosen, I. (Producer). (2014, September 21). 60 minutes -Biggest IRS scam around: Identity tax refund fraud [Television broadcast]. New York, NY: Central Broadcasting Service.

Social Security Administration (n.d.). Agency strategic plan 2014-2018. Retrieved from http://www.ssa.gov/agency/asp/materials/pdfs/plan-2014-2018.pdf.

Teller Vision (2014). Identity fraud creating a new victim created every two seconds (over story). Teller Vision, (1440), 1-2.

Ting, R (2013, March 11) The customer profile: Your brand's secret weapon (BLOG). Harvard Business Review Blog. Retrieved from http://blogs.hbr. org/2013/03/the-customer-profile-your-bran/

pentaho®
A Hitachi Group Company

Learn more about Pentaho Business Analytics

pentaho.com/contact
+1 (866) 660-7555.

Global Headquarters
Citadel International - Suite 340
5950 Hazeltine National Drive
Orlando, FL 32822, USA
tel +1 407 812 6736
fax +1 407 517 4575

US & Worldwide Sales Office
353 Sacramento Street, Suite 1500
San Francisco, CA 94111, USA
tel +1 415 525 5540
toll free +1 866 660 7555

United Kingdom, Rest of Europe, Middle East, Africa
London, United Kingdom
tel +44 (0) 20 3574 4790
toll free (UK) 0 800 680 0693

FRANCE
Offices - Paris, France
tel +33 97 51 82 296
toll free (France) 0800 915343

GERMANY, AUSTRIA, SWITZERLAND
Offices - Munich, Germany
tel +49 (0) 322 2109 4279
toll free (Germany) 0800 186 0332

BELGIUM, NETHERLANDS, LUXEMBOURG
Offices - Antwerp, Belgium
tel (Netherlands) +31 8 58 880 585
toll free (Belgium) 0800 773 83

ITALY, SPAIN, PORTUGAL
Offices - Valencia, Spain
toll free (Italy) 800 798 217
toll free (Portugal) 800 180 060

**Be social
with Pentaho:**